





LINHA AGRÍCOLA



VÁLVULA
TR15



VÁLVULA
TR218A


MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
10.5/12.5/80-18	TR15	10.5/80-18 • 12.5/80-18 • 280/80R18 • 320/80R18 • 340/80R18	7
10.5/12.5/80-18	TR218A	10.5/80-18 • 12.5/80-18 • 280/80R18 • 320/80R18 • 340/80R18	7
11L-15/16	TR15	11L-15 • 11L-16 • 280/70R15 • 280/70R16	14
12.4R24	TR218A	12.4R24 • 12.4-24 • 360/70R24 • 320/85R24	6
12.4R28	TR218A	12.4R28 • 12.4-28 • 360/70R28 • 320/85R28	5
12.4R36	TR218A	12.4R36 • 12.4-36 • 360/70R36 • 320/85R36	5
12.4R38	TR218A	12.4R38 • 12.4-38 • 360/70R38	4
13.6R38	TR218A	13.6R38 • 13.6-38 • 340/85R38	4
14.9R24	TR218A	14.9R24 • 14.9-24 • 420/70R24 • 380/85R24	5
14.9R26/28	TR218A	14.9R26 • 14.9R28 • 14.9-26 • 14.9-28 • 420/70R26 • 420/70R28 • 420/85R28	5
16.9R24	TR218A	16.9R24 • 16.9-24 • 17.5R24 • 480/70R24 • 420/85R24 • 460/70R24	3
16.9R26/28	TR218A	16.9R26 • 16.9R28 • 16.9-26 • 16.9-28 • 420/85R26 • 420/85R28 • 480/70R26 • 540/65R26	3
16.9R30	TR218A	16.9R30 • 16.9-30 • 420/85R30 • 420/90R30 • 480/70R30 • 540/65R30	3
16/70R20	TR218A	16/70R20 • 16/70-20 • 405/70R20	5
18.4R26	TR218A	18.4R26 • 18.4-26 • 520/70R26 • 480/70R26 • 460/85R26	3
18.4R30	TR218A	18.4R30 • 18.4-30 • 520/70R30 • 480/70R30 • 480/80R30 • 16.9-30	2
18.4R34	TR218A	18.4R34 • 18.4-34 • 520/70R34 • 480/70R34 • 480/80R34	2
18.4R38	TR218A	18.4R38 • 18.4-38 • 520/70R38 • 480/70R38 • 380/85R38 • 480/80R38	2
20.8R38	TR218A	20.8R38 • 20.8-38 • 580/70R38 • 600/60R38 • 520/85R38 • 600/65R38	2
20.8R42	TR218A	20.8R42 • 20.8-42 • 580/70R42 • 600/60R42 • 520/85R42 • 620/70R42	2
23.1R26	TR218A	23.1R26 • 23.1-26 • 620/75R26	2
23.1R30	TR218A	23.1R30 • 23.1-30 • 620/75R30 • 650/75R30 • 600/60-30.5 • 600/70-30	2
24.5R32	TR218A	24.5R32 • 24.5-32 • 650/75R32	1
28LR26	TR218A	28LR26 • 28L-26 • 28.1-26 • 750/65R26 • 750/55-26.5	1
30.5R32	TR218A	30.5R32 • 30.5-32 • 800/65R32 • 710/75R32	1
400/60-15,5	TR15	400/60-15.5 • 400/55R15.5	6
5.00/6-12	TR15	5.00/6-12 • 5.00-12 • 6-12 • 170/80-12 • 23X8.50-12 • 6.5/80-12	40
600/50R22,5	TR218A	600/50R22.5 • 600/50-22.5 • 650/50-22.5	2
7.50-16	TR15	7.50-16 • 280/70R16 • 320/65R16	16
7.50-18	TR15	7.50-18 • 8.00-18 • 275/80R18 • 280/70R18	14
710/70R38	TR218A	710/70R38 • 650/65R38	1
710/70R42	TR218A	710/70R42	1
9.00/10.00-16	TR15	9.00-16 • 10.00-16	12
9.5/9R24	TR218A	9.5R24 • 9.5-24 • 300/70R24 • 250/85R24	10



AUTOMÓVEIS E COMERCIAIS LEVES



VÁLVULA
TR13



VÁLVULA
TR15

AUTOMÓVEIS


MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
GR15	TR15	5.60-15	25
RS13/14	TR13	6-14 • 165/70R13 • 175/70R13 • 175/75R13 • 175/65R14 • 185/65R14 • 175/70R14	30
RS14/15	TR13	185/70R14 • 195/55R15 • 185/65R15 • 195/60R15 • 185R14 • 195R14 • 175/75R14	25
RS15/16	TR13	195/65R15 • 205/70R15 • 205/55R16	25

COMERCIAIS LEVES


MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
LT-1215	TR13	195/70R15C • 205/70R15C • 225/70R15C • 225/75R15C	22
LT-1216	TR15	6.00-16 • 7.00-16 • 215/80R16 • 195/75R16C • 205/75R16C • 215/75R16C	20
LT-1515	TR13	235/75R15 • 255/75R15 • 31x10.50R15	20
LT-1616	TR13	235/70R16 • 245/70R16 • 245/75R16 • 265/75R16	18




CAMINHÃO E ÔNIBUS



VÁLVULA
V3-06-5



VÁLVULA
TR462C



VÁLVULA
V3-02-7


MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
10.00R20	V3-06-5	10.00R20 • 10.00-20	7 / 8
11.00R22	V3-06-5	11.00R22 • 11.00-22	6
12.00R24	V3-06-5	12.00R24 • 380/95R24	4
275/80R22,5	TR462C	275/80R22.5 TR462C. • 11R22,5	7
295/80R22,5	TR462C	295/80R22.5 • 12R22.5	6
7.50R16	V3-02-7	7.50R16 • 7.50-16	15
9.00R20	V3-06-5	9.00R20 • 9.00-20	8 / 9



LINHA INDUSTRIAL



VÁLVULA
TR244



VÁLVULA
JS2




VÁLVULA
TR75A

MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
5.00-8	TR244	5.00-8	35
6.00-9	TR244	6.00-9	25
6.50-10	JS2	6.50-10	25
7.00/7.50-15	TR75A	7.00-15 • 7.50-15 • 29X8-15 • 30X8-15	18
7.00-12	TR75A	7.00-12 • 200/95R12	20
8.15-15	TR75A	8.15-15 • 28x9-15 • 225/75R15	16
8.25-15	TR75A	8.25-15	14



FORA DE ESTRADA




VÁLVULA
TR179A




VÁLVULA
TRJ1175C



VÁLVULA
TR220A



VÁLVULA
TR15



VÁLVULA
TR218A

MEDIDA	VÁLVULA	APLICAÇÃO	QTD./CAIXA
10/12-16,5	TR15	10-16.5 • 12-16.5 • 265/70R16.5 • 305/70R16.5	10
16.00-24/25	TRJ1175C	16.00-24 • 16.00-25 • 445/95R24 • 445/95R25	3
17.5-25	TR220A	17.5-25 • 445/80R25 • 550/65R25	3
17.5-25	TRJ1175C	17.5-25 • 445/80R25 • 550/65R25	3
19.5L-24	TR218A	19.5L-24 • 495/70R24 • 500/70R24	3
20.5-25	TRJ1175C	20.5-25 • 525/80R25	2
23.5-25	TRJ1175C	23.5-25 • 605/80R25	2
KM-24	TR220A	13.00-24 • 14.00-24 • 385/95R24	4